





Zaphire Fine design for fine living

This is the principle that guides us in designing world class products that match your exceptional tasts. The Zaphire range of switches have bedesigned around features that matter most to you. It's smart design helps blend in with your interiors and also ensures safety and reliability, this makes Zaphire the best choice for your homes.

SMART DESIGN
Zaphire profile design is made smart with its unique profile of the plate which gets complemented with large rocker switch which blends with the front plate profile. Dust repulsive design front plates ensures this is less maintenance product

RELIABLE

Unique double plate design – front plate and mefall inner makes this a sturdy design, PC outer plate made from virgin polycationate engineered plastic which has high impart resistance, fame proof and UV Stable which makes it reliable all switches are designed for both resistive & inductive loads.

EASY TO INSTALL
Featured with Snap locks, Captive screws, tunnel design terminals & terminal marking ensures fast & easy installation

COMPLETE RANCE
Wide range of wiring devices to complete residential solution, 10 YEARS
WARFANTY Glives total peace of mind to you & your customers on Electrical
mains related products & 2 years warrantly on Electronic products

TRULY INTERNATIONAL Whole range of compiles to BS Standard and also achiere to ESMA, G Mark, SONCAP and SASO as per different country requirements making it Truly international



Night Glow Indicators Dust repulsive design front plate Snap fit plate for better aesthitics Positive action switch Mechanism Switches rated for mixed loads Bottom snap locks for easy & fast installation Double plate System

Socket Front Side



Truely International Range with certification for ESMA, G Mark, SONCAP & SASO

Switch Back Side

Clear marking on the switch for easy identification of terminals for quick installation

Tested for 200,000 operation for endurance



Silver alloy contact terminals for better continuity and long life

Captive screws for fast installation

Metal Inner Plate

Socket Back Side

Clear marking on the switch for easy identification of terminals for quick installation

Dust repulsive

Upto 2.1 A USB for fast charging



Tunnel design terminals for easy installation

Dual earth terminals for high safety

HAVELLS HAVELLS

HAVELLS



Key Features

- Positive action switching mechanism
- Engenearing plastic with UV stable, high gloss for long life & durabality
- Compliese to BS specification















	н
	ı
MANAGE	ı





IOD#	CWH04

ITEM NAME	ITEM CODE	STD. / MASTER PACKING
10 AX Switch 1 way 1 Gang	AHQSXXW101	10/100
10 AX Switch 2 way 1 Gang	AHQSXXW102	10/100
10 AX Switch 1 way 2 Gang	AHQPLCWH02	10/100
10 AX Switch 2 way 2 Gang	AHQPLCWX02	10/100
10 AX Switch 1 way 3 Gang	AHQPLCWH03	10/100
10 AX Switch 2 Way 3 Gang	AHQPLCWX03	10/100
10 AX Switch 1 way 4 Gang	AHQPLCWH04	10/100
10 AX Switch 2 way 4 Gang	AHQPLCWX04	10/100
10 A Bell Push 1 Gang	AHQSBXW101	10/100
20 A DP Switch Neon 1 way 1 Gang	AHQSDIW201	10/100
20 A DP Switch Neon 1 way 1 Gang - Water heater	AHQSDWW201	10/100
1 Gang 1W 45 A DP Switch with Neon Indicator	AHQSDXW451	10/100
2 Gang 1W 45 A DP Switch	AHQSDXW452	05/50
Intermediate 10 A Switch	AHQSXXW100	10/100





Key Features

- Precious metal parts for better continuity & performance
 Truly international BS, ESMA, G Mark, SONCAP & SASO certified
- Installation friendly with captive screws, tunnel design terminal, bottom snaps
- Anti single pin entry shutteres for complete safety



















ITEM NAME	SAP CODE	STD. / MASTER PACKING
13 A Switched Socket with Neon	AHQCXIW131	10/100
13 A Switched Socket	AHQCXXW131	10/100
1Gang 13 A Switched Socket with USB upto 2.1 A	AHQCGXW131	10/100
2 Gang 13 A Switched Socket with Neon	AHQCXIW132	05/50
2 Gang DP 13 A Switched Socket with Neon	AHQKFWW132	05/50
2 Gang DP 13 A Switched Socket with Twin USB upto 2.1 A	AHQKUCW152	05/50
2 Gang 13 A Switched Socket	AHQCXXW132	05/50
Unswitched Universal Socket	AHQMPWW131	10/100
Unswitched 13 A Socket	AHQKPWW131	10/100
15 A Switched Socket	AHQCXXW161	10/100
Universal Switched Socket - 15 A Rating	AHQKUWW151	10/100
Universal Switched Socket with USB upto 2.1 A	AHQKUCW151	10/100
2 Gang Universal Switched Socket with Twin socket	AHQKUSW152	05/50
2 Gang Universal Switched Socket with Twin socket & Neon	AHQKUSW153	05/50
1 Gang Universal Switched Socket with USB Upto 2.1 A & 2 pin Socket	AHQKUMW102	10/100
1 Gang Universal Switched Socket with 2 pin & Neon	AHQKUMW101	10/100
2 Pin Switched Socket	AHQKFXW131	10/100

HAVELLS

HAVELLS





Zaphire comes with a variety of controllers & communication accessories to meet the needs of residentical & commercial properties

- Dimmer Control Switch
- Fan Dimmer with switch
- RJ-11 Telephone socke
- HJ-45 Cal 6 500
- Night Lan
- Blank Plate











AUGOSTANOSA

.







AHQIIW000

AHQPLBWS00

AHQPLEWH00

ITEM NAME	SAP CODE	STD. / MASTER PACKING
FAN Dimmer with switch	AHQRFHW051	08/60
500W Dimmer Rotary		
RJ 11 SOCKET	AHQKRWW111	
TV Female Terminal Socket	AHQKTCW003	10/100
Single Outlet Cat6 UTP/RJ 45		
Satelite + TV socket	AHQKTCW002	
Blank 3X3	AHQPLBWS00	20/200
Blank 3X6	AHQPLBWH00	15/150
20A Connection Unit	AHQGOXW201	
45A Connection Unit	AHQGOXW451	10/100
1 Gang Lamp	AHQIIIW000	08/80
Telephone BS Master	AHQKNXW001	10/100
Telephone BS Secondary	AHQKNOW001	10/100

HAVELLS

A range of plate switches which aesthetically blend completely with the interiors and is featured with safety and ease of installation. Suitable for domestic & commercial installations.

Standards and Approvals: All Switches comply to BS EN 60669-1 Technical specifications: Voltage rating: 250V AC, 50 Hz Current rating: 10AX, 20A DP & 45A DP

Load type:

Resistive , Filament , Inductive, LED & Fluorescent For 10/20A : 4x 1 Sq.mm, 4x 1.5 Sq.mm, 3x 2.5 Sq.mm, 2 x 4 Sq.mm, 1 x 6 Sq.mm Terminal Capacity: $\begin{array}{c} 1\times 6 \text{ Sq.mm} \\ \text{ For } 45\text{ A} \cdot 4\text{ Sq.mm}, 3\text{ A} \cdot 6\text{ Sq.mm}, 1\text{ x} \cdot 10\text{ Sq.mm}, 1\text{ x} \cdot 16\text{ Sq.mm} \\ \text{Contact gap:} \\ \text{Ambient Operating temp:} \quad 5^{\circ}\text{C} \cdot \text{to} \cdot 40^{\circ}\text{C} \\ \text{IP rating:} \end{array}$

13A Socket Outlets

13A Socket Outlets
A range of socket cultets designed with safety feature and ease of installation to make it a reliable product for the user. Available in single and double configeration with & without indicator.

1. Anti single pin shuffers it need 3 pins to operate shuffers

2. Dual earth terminal

3. Turnel design terminals with top access screws for easy and fast installation

4. Line, Earth and Neutral marking for easy dentification of terminals

5. Dust repulsive design.

5. Dust repulsive design.

6. Dust repulsive design.

7. Does for the easy design of the easy dentification of terminals

8. Vit stable, High gloss polycurbonate front plates

9. Complies to Sis specification

10. Noon indicators for long life and better visibility

11. 3mm minimam switch contact gap between the terminals

12. DP switches for competes isolation of phase and neutral

13. Switches with select carbinium contacts for long life and continuity

14. Single size screw drives for easy installation

Standards and Approvals: 13A socket complies with BS 1363-2 Technical specifications: 250V AC Current rating: 250V AC 13A per socket outlet Terminal capacity: Eve, resultral & earth 3 x 2.5mm2 3 x 4

250V AC 13A per socket outlet Live, neutral & earth 3 x 2.5mm2 3 x 4mm2 2 x 6mm2 (stranded) Ambient operating temperature: -5°C to +40°C IP20 Physical: IP rating:









HAVELLS







Havells India Ltd.

QRG Tower, 2D, Sector-126, Expressway, Nolda - 201 304, U.P. (INDIA)

E-mail: bidfibmsils.com, Websils: www.havells.com
Jon us on Facebook at www.facebook.com/havells & share your ways to save the planet!

Representative Offices: • Dubai • Kenya • Nigeria • Nepal • Sri Lanka • Bangladesh

CIN - L31900DL1983PLC016304
Copyright Subsists. Irritation of trade dress, graphics and color scheme of this document is a punishable offence

